

Collection

CAKE

Article

EUA713CA

Description

Decorative trim set thermostatic valve 3 way diverter with rings

Box Dimensions


340x180x70 mm

Weight


3 kg

Finishes

- **SA**
BRUSHED
STAINLESS
STEEL
- **BM**
BRUSHED
BLACK
METAL
- **WA**
BRUSHED
WARM
BRASS
- **WB**
BRUSHED
WARM
BRONZE



Dimensions



Cartridge

Threaded fitting

Aerator

Flow Rate (+/-10%)

1 BAR
l/m

2 BAR
l/m

3 BAR
l/m

Production

Main body is a machined from a solid pieces


Material

**STAINLESS STEEL
AISI316**



WE ARE IB

Parts list				
ITEMS	CODE	DESCRIPTION	FIN	QTÀ
1	CP19401SA N. 1	Temperature handle	F	1
1.1	AQSA19401	Termo handle Ø60 H36	F	1
1.2	AC0018736	Button 20x6x15.8	F	1
1.3	AQ0008086	Spring for thermo plug Ø6 F0.5 L8.5	G	2
1.4	AS0007045	Pin for thermo lever button Ø6 H11.6	G	1
1.5	AQ0014670	Grubscrew M5x6 cone point	-	1
2	AQSA19400	Ring Ø60 Ø52 H34.5	F	1
3	AQ0013456	OR 47x2 NBR 70 SH	-	2
4	AS0019405	Temperature stop Ø51.5 H41 M27x1.5	G	1
5	AS0019404	Nut Ø60 M36x1.5 H12	G	1
6	AS0019403	Nut Ø30.5 M27x1.5 H5	G	1
7	AQSA19399 -GC	Plate Ø110 Ø60.5 H2 stamped	F	1
8	AQ0013485	Rubber packing Ø90x94x1	-	1
9	AQSA19413 -T3	Handle Ø60 H20 Ø57 dev 3	F	1
10	AQ0014670	Grubscrew M5x6 cone point	-	1
11	AQ0012203	Plug	F	1
12	AQ0004600	OR 15.6x1.78 NBR 70 SH	-	2
13	AS0019411	Handle Ø19.5 Ø12 Z40 H18	G	1
14	AQ0009535	Inferior antifriction ring for lever Ø20 Ø14 H3,1	-	1
15	AS0019410	Support Ø56.5 M24x1 H7	G	1
16	AQ0011028	Flat gasket Ø55 Ø47 H2	-	1
17	AQ0002160	Screw M4x10	-	1
18	AQ0009148	Screw M4x20 ISO 7045	-	1
19	AQ0009209	Screw M4x16 ISO 7045	-	1





WE ARE IB

WARRANTY

All IB Rubinetterie SpA products are warranted for 10 years from the date of purchase, for the following cases:

- Defects of casting, porosity and chrome plating.
- Operating defects caused by incorrect fabrication.

The warranty provides for repair or replacement of products with fabrication defects recognized by our technical office. There is no other type of compensation anche the merchandise must be returned FOB our warehouse. The warranty only cover surface defects (scartches, dings, etc.) on fitting that have not been installed and used, returned in its original packaging with all components. O-ring, gasket seals and components subject to wear proportional to use are warranted for 2 years.

The warranty is void in the following cases:

Error installing and putting the product into service.

Deterioration of finished surfaces due to use of cleaning products containing acids or abrasive substances.

Deterioration of surface with finishes other than chrome plating. Their durability is, in fact, dependent on the user's care and gentleness of use.

Deterioration of the fitting due incorrect installation.

Improper repairs and maintenance performed without the company's prior authorization.

The warranty from IB Rubinetterie SpA is not renewable.

Cleaning

We recommended cleaning the finish surfaces with water and soap, using a soft cloth.

Do not use detergents that cointain hydrochloric acid or abrasive substances.